



**KAPHAPHYSIO**



**Kapha** Tech

**PHYSIO** TECH

 **GenWave**


**KAPHAPHYSIO**

**A PHYSIOTHERAPY  
EQUIPMENT  
MANUFACTURER**

 +0086 13060901678

 [www.kaphaphysio.com](http://www.kaphaphysio.com)

 [www.facebook.com/Kaphaphysio](https://www.facebook.com/Kaphaphysio)






- GLOBAL CLIENTS SERVICE
- CLINICAL TRAINING
- ONE STOP PHYSIOTHERAPY SOLUTION



Guangzhou Kapha Electronic Technology Co., Ltd. is the leading physiotherapy device manufacturer, integrating R&D, production, sales, and after-sales service, developing popular and innovative physiotherapy technologies, including PEMF, magneto, tecar, shockwave, ultrasound, diode laser, IFC current etc.

Professional technical team has 20 years experience and is able to provide OEM&ODM services and customization solutions. Large inventory ensures standard products can be shipped out within 1-3 days. Provides online video training, treatment protocols, and lifetime technical support. After-sales solutions are provided within 24 hours.







Radial shock wave technology (ESWT), integrated mechanical vibration therapy for the treatment of musculoskeletal disorders.

**INTELECT Puls<sup>50</sup>**

**K**  
**KAPHAPHYSIO**



Smart software with treatment guidance and indications. Preset parameters for different body parts. User friendly.

Frequency and intensity adjustment integrated into the shockwave handpiece. Energy range from 0.5bar and max to 10Bar.



#### Technical Data

Model : Intellect Puls 50

##### Shockwave

Intensity:	0.5-10Bar
Frequency:	1-21Hz
Lifespan of each bullet:	3 million shocks
Treatment head:	6 pcs for pain management, 3 pcs for chiropractic, 4 pcs for fasciitis

##### Mechanical vibration


Intensity:	0.2-3W/CM <sup>2</sup>
Frequency:	1MHz
Pulse mode:	continuity and 1-10Hz
Applicator diameter:	4cm

Package size:	66*60*45cm
Gross weight:	34kg





Glass IV high power laser therapy combine with 10 Bar radial shockwave therapy. Effective and fast pain treatment .



High power laser of 12W and 1064nm.  
Safe, effective, and non-invasive.

INTELECT Puls<sup>1064</sup>

13 different shockwave treatment heads for pain management, chiropractic and fasciitis.



#### Technical Data

Model : Intellect Puls 1064

#### Shockwave

Intensity:	0.5-10Bar
Frequency:	1-21Hz
Lifespan of each bullet:	3 million shocks
Treatment head:	6 pcs for pain management, 3 pcs for chiropractic, 4 pcs for fasciitis

#### Class IV Laser

Wavelength :	1064nm
Power:	Max 12W
Mode:	Continuity and 0.2-20000Hz pulse mode
Pulse width :	10US-3S

Package size:	63*59*43cm
Gross weight:	34kg






Innovative combination of electrotherapy, shockwave and mechanical vibration for wide range of pathologies.


**INTELECT Puls<sup>100</sup>**

**K**  
**KAPHAPHYSIO**



Modulated Interferential current brings deeper penetration and more comfort for patients.

3 in 1 technologies combine, better solution for pain management, inflammation reduction, tissue healing and muscle function improvement.



#### Technical Data

Model : Intellect Puls 100

#### Electrotherapy

Carrier frequency:	1-5KHz
Premod frequency:	1-60Hz
Mode:	continuity&0.5-2Hz pulse mode
Channel:	A&B

#### Shockwave

Intensity:	0.5-10Bar
Frequency:	1-21Hz

#### Mechanical vibration

Intensity:	0.2-3W/CM <sup>2</sup>
Frequency:	1MHz
Mode:	continuity and 1-10Hz pulse mode
Applicator diameter:	4cm





Compacted portable radial shockwave. High quality suitcase. Weights only 7KG. For visiting doctors and outdoor service.

INTELECT Puls<sup>20</sup>

**K**  
KAPHAPHYSIO



Digital handle with 7 deep penetration heads. Two special black heads for erectile dysfunction treatment.

With human version or horse version labels.  
human software or horse software.



#### Technical Data

Model : Intellect Puls 20

Frequency:	1-16Hz
Intensity:	5-200MJ
Lifespan of each bullet:	2 million shocks
Screen:	8 inch
Net weight:	7.8kg

Package size:	56*46*26.5cm
Gross weight:	12.8kg





Experience the convenience of treating Erectile Dysfunction at home with non-invasive, medication-free DR EDSW solution.


**Dr EDSW**  
Shockwave for ED Therapy



Mini low intensity shockwave handpiece with soft and hard treatment tips.  
4500 shots for one treatment.

**Dr EDSW**  
Shockwave for ED Therapy

Software with detailed treatment protocols , line protocol and point protocol. instructions for tip disinfect and operate guidance.



#### Technical Data

Model : Dr EDSW



Frequency:	4-16Hz
Intensity:	10-35mj
Touch screen:	4.3inch
Net weight:	3.8kg
Tips:	2 PCS
Package size:	40*38*25cm
Gross weight:	6kg






PEMF (Pulsed Electromagnetic Field) therapy  
 High intensity PEMF (Max to 24700 Gauss)  
 Multiple attachments for human or horse.


\* Standard attachment  
 ✓ Optional attachment




\* Large Loop



\* Butterfly Loop



✓ Double Pad



✓ Mattress



Portable design with drawbar, easier to move. Machine case, wear-resistant and anti-drop, can protect the machine well.

Plug-in attachment, two standard loops--  
 Largo loop and Butterfly loop. More optional  
 attachment available




#### Technical Data

Model : PMST LOOP

Power Consumption:	850W
Magnetic intensity:	Up to 24700 Gauss
Pulse Frequency:	2Hz, 4Hz, 6Hz, 8Hz, MF(3-8-6Hz)
Oscillation:	4500Hz
Fused:	15Amp
IP rating:	IP 31
Standard loops:	Single loop and Butterfly loop
Optional loops:	Paddles and Mattress

Package size:	63*41*35cm
Gross weight:	28kg



✓ X Wing



✓ Hoof Box





PMST LOOP PRO, desktop version PEMF therapy, clinical level intensity and revolutionary wellness modality, deep PEMF to stimulate body cells.

PMST  LOOP

  
KAPHAPHYSIO



#### Technical Data

Model : PMST LOOP PRO

Power Consumption :	850W
Magnetic intensity :	Up to 24700 Gauss
Pulse Frequency :	1-8Hz, MF(3-8-6Hz)
Oscillation :	4500Hz
Fused :	15Amp
IP rating :	IP 31
Standard loops :	Single loop and Butterfly loop
Optional loops :	Paddles and Mattress
Package size:	63*41*35cm
Gross weight:	28kg

PMST  LOOP



Knob control, free adjustments of intensity and frequency during the treatment. Desktop version for clinic and home.

4.3 inch touch screen, operation easier, frequency range from 1-8hz, treatment time range from 1-15min.








PEMF therapy with intelligent programs,  
separately control for each attachment intensity  
control, both human and horse version.



12.1 Inch touch screen, foldable screen  
for different application scenarios.



Intelligent switching interface program,  
with professional user guidance and preset  
parameters for different body parts.



Technical Data	Model : PMST LOOP PRO MAX
Intelligent programs:	Human and Animals
Power Consumption:	850W
Magnetic intensity:	Up to 24700 Gauss
Pulse Frequency:	1-10HZ, MF (2-10-4-8Hz)
Standard loops:	Single loop and Butterfly loop
Optional loops:	Paddles and Mattress X-Wing/ Hoof box
Package size:	63*41*35cm
Gross weight:	35kg







PMST MAX is an innovative magnetic device that adopts the water cooling system and changeable applicators.

PMST MAX

K  
KAPHAPHYSIO



3 sizes of changeable applicators. Muscle applicator, joint applicator and point applicator.

10 frequency channels adjustment, supporting customized protocols.



Technical Data	Model : PMST MAX
Intensity:	Max to 7 Tesla with muscle applicator
Frequency:	MT mode: 1-150Hz, ST mode: 1000-3000Hz
Cooling system:	Water 1.5L
Standard applicator:	Joint applicator & point applicator
Optional applicator:	Muscle applicator & laser applicator
Laser intensity:	Max to 5600MW
Laser wavelength:	650nm&808nm
Screen:	10.4 inch
Output power:	1200W
Package size:	60*60*74cm
Gross weight:	59kg





PMST MAX DUO two channels high intensity magnetic therapy multiple applicators and frequency settings.


PMST MAX DUO

**K**  
KAPHAPHYSIO



Large applicator power to 7 Tesla.  
point applicator power to 4 Tesla.  
Combine static and dynamic treatments.

Two channels working simultaneously.  
Smart software with customized frequency settings and clinic protocols.



#### Technical Data

Model : PMST MAX DUO

Intensity:	Up to 7 Tesla (muscle applicator) Up to 4 Tesla (point applicator)
Frequency:	MT mode: 1-150Hz, ST mode: 1000-3000Hz
Cooling system:	Water 2.5L
Standard applicator:	Muscle applicator & point applicator
Optional applicator:	Joint applicator & laser applicator
Laser intensity:	Max to 5600MW
Laser wavelength:	650nm&808nm
Screen:	Screen: 10.4 inch
Output power:	Output power: 1200W





**PHYSIO MAGNETO**, the very first magneto therapy device. High intensity magnetic pulse induction by a ring type magnetic coil .



#### Technical Data

Model : PMST

Field strength at the coil:	4 Tesla
Output power :	1000W
Frequency in ST mode:	1000-3000Hz
Frequency in MT mode:	1-100Hz
Water cooling system:	Water 2.5L

#### Desktop version

Package size:	66*60*49cm
Gross weight:	48kg

#### Vertical version

Package size:	63*60*115cm
Gross weight:	72kg



Hands-free treatment by flexible support arm. Easily positioning to varied body parts  
Touch free and pain free treatment.

MT mode and ST mode target to muscle and deeper tissue repair. F1, F2, F3 frequencies setting. 10 body parts with default parameters.








PMST NEO, second generation magneto therapy device. Innovative combination with NIRS therapy. Positive feedbacks and promising results.



The NIRS applicator connected with PMST applicator with a silicon connector. Easy to install and use.

The infrared with 3 wavelengths: 940nm, 660nm, and 620nm, for different treatment depth.



Technical Data		Model : PMST NEO
Magneto		
Field strength at the coil :	4 Tesla	
Frequency in ST mode :	1000-3000Hz	
Frequency in MT mode :	1-100Hz	
Infrared		
Wavelength :	620&660&940nm	
Power:	3200MW	
Output power :	1000W	
Water cooling system:	Water 1.5L	
Package size:	66*60*50cm	
Gross weight:	48kg	





PMST NEO PLUS, the third generation of magneto therapy upgraded NIRS to Diode Lasers, improves magnetic intensity to 5 Tesla.

**PMST NEO+**

**K**  
**KAPHAPHYSIO**



16pcs Diode Laser. 8pcs 808nm& 8pcs 650nm. Deeper penetration for tissue repair.

Split page software for magneto and laser therapy, working simultaneously.



#### Technical Data

Model : PMST NEO+

#### Magneto

Field strength at the coil: 5 Tesla  
Frequency in ST mode: 1000-3000Hz  
Frequency in MT mode: 1-100Hz

#### Diode Laser

Wavelength: 650&808nm  
Power: Max 5600MW  
Output power: 1500W  
Water cooling system: Water 2.5L

#### Vertical version

Package dimension: 108\*58\*62cm  
Gross weight: 80kg

#### Desktop version

Package size: 66\*60\*49cm  
Gross weight: 48kg





PMST WAVE, an innovative combination of air pressure shockwave and magneto therapy-- perfect combination in physical treatment.


PM-ST WAVE

**K**  
KAPHAPHYSIO



Shockwave for fast pain relief but causes inflammation. Magneto therapy is effective in reducing inflammation.

A multifunctional, cost-effective, and comprehensive physical therapy device.



#### Technical Data

Model : PMST WAVE

##### Magneto

Field strength at the coil: 4 Tesla  
Frequency in ST mode: 1000-3000Hz  
Frequency in MT mode: 1-100Hz

##### Shockwave

Intensity: 1-6Bar  
Frequency: 1-21Hz  
Bullet lifespan: 3 million

##### Infrared




Wavelength: 620&660&940nm  
Power: 3200MW  
Output power: 1500W  
Water cooling system: Water 2.5L

Package size: 108\*58\*60cm  
Gross weight: 80kg





Smart Tecar Energy Transfer of Capacitive and Resistive. Dual frequency 448KHz and 300KHz. High power 350W energy output.



User interface with real time output power indication. Both CET and RET selection. Optional applicators and body parts selection. Athermal to deep thermal therapy.

SmartTecar

Technical Data	Model : Smart Tecar
RF Frequency:	300-448KHz
Maximum Power:	350W
Heads Size :	20&40&60mm
Optional pieces:	Double 80mm handle Fascia set T-shape handle Foot pad
Package size:	49*46*38cm
Gross weight:	20kg








SMART TECAR WAVE combines tecar therapy with shockwave therapy and Electro muscle stimulation-- 3 in 1 machine.


SmartTecar WAVE

**K**  
KAPHAPHYSIO



Digital shockwave handle deliver 200MJ mechanical wave to break down adhesion tissue. 4pcs EMS cups.

Smart software combine 3 technologies-- Tecar therapy, Shockwave therapy and EMS therapy .



#### Technical Data

Model : Smart Tecar Wave

#### Electromagnetic shockwave

Intensity : 5-200 Mj (4Bar)  
Frequency : 1-18 Hz

#### EMS

Intensity : 1-20  
EMS Frequency : 1-30

#### Tecar

RF Frequency : 300-448KHz  
Output power : 350W  
Heads Size : 20&40&60MM

#### Desktop version


Package size : 52\*51\*46cm  
Gross weight : 31kg







Smart Tecar Pro innovatively combines deep penetration pneumatic shockwave, 448KHz tecar, and anti-inflammatory ultrasound therapy



Professional 3 in 1 multi-functional Smart Tecar Pro provides the comprehensive solutions for pain management.

smart tecar pro

Smart software displays recommended treatment time, sessions and intensity for body parts.




Technical Data	Model : Smart Tecar Pro
Pneumatic shockwave	
Frequency :	1 - 21Hz
Energy :	1 - 6Bar
Ultrasound	
Frequency :	1MHz
Intensity:	0.2-3W/²
Tecar	
RF Frequency :	300-448KHz
Heads Size :	20&40&60MM
Output power:	350W
Package size:	59*52.5*124cm
Gross weight:	75kg





LuxMaster Slim, 532nm green laser therapy for body circumference reduction. Low level laser therapy for fat loss.



LuxMaster Slim with body indications and detailed treatment protocol. Possible customized parameters and duration.

LuxMaster *Slim*

The laser head with 10 Diode lasers. Up and down elevator control. Foldable laser head wings.



#### Technical Data

Model : LuxMaster Slim



Maximum reach of laser head :	110 cm
Angle adjustable of laser wings :	100 degree
Weight of laser head :	12kg
Maximum reach of Elevator :	500mm
Size of screen :	12.1 inches
Power of diode :	200mw
Wavelength of diode :	532nm
Voltage :	90v-240v
Power :	120w
Number of diode :	10pcs

Package size:	57*79*116cm
Gross weight:	67.5kg






LuxMaster Physio, 635nm red laser therapy for tissue repair. Low level laser therapy for pain relief.



12.1 inch screen makes the operation more flexible and convenient. Software with clinical protocol for better professional operation guidance.

LuxMaster Physio

The laser head with 8pcs red light and 2pcs purple light. Automatic elevator controls up and down. Foldable laser head both wings.



#### Technical Data

Model : LuxMaster Physio

Maximum reach of laser head :	110cm
Angle adjustable of laser wings :	100 degree
Weight of laser head :	12kg
Maximum reach of Elevator :	500mm
Size of screen :	12.1 inches
Power of diode :	500mw
Wavelength of diode :	635nm 405nm
Voltage :	90v-240v
Power :	120w
Number of diode :	10pcs

Package size:	51*70*103cm
Gross weight:	67.5kg





LuxMaster HP, Class IV high-power laser therapy.  
Multiple wavelengths of 650nm, 810nm, 980nm  
and 1064nm. 3 models available.

LuxMaster HP

**K**  
KAPHAPHYSIO



Multiple optional working heads.  
Provided blue model of 980nm. Black  
model of 980nm+1064nm. Orange model of  
810nm+915nm +980nm+1064nm

PULSE MODE indicates high frequency on  
and off laser emission for pain relief. CW  
MODE continuously for biostimulation to  
promote healing.



#### Technical Data

Model : LuxMaster HP

Type :	Class IV
Frequency :	1-10Hz
Wavelength :	980NM&1064NM
Power :	38W
Screen :	10.4 inch touch screen

Package size:	65*45*43cm
Gross weight:	30kg







## Pneumatic shockwave series

Pneumatic shockwave

Pneumatic plus mechanical vibration

Pneumatic plus Electromagnetic shockwave.

DualWave

**K**  
KAPHAPHYSIO



### Technical Data

Model : KP-B

Pneumatic shockwave

Shockwave intensity: 1-6Bar

Shockwave frequency: 1-21Hz

Treatment heads: 12PCS

Bullet lifespan: 3 million shocks

Package size: 58\*46\*42cm

Gross weight: 28kg



### Technical Data

Model : Dual Wave-C

Pneumatic shockwave

Intensity: 1-6Bar

Frequency: 1-21Hz

Treatment heads: 12PCS

Bullet lifespan: 3 million shocks

Electromagnetic shockwave

Intensity: 5-200MJ

Frequency: 1-16Hz

Treatment heads: 7PCS

Bullet lifespan: 2 million shocks

Package size: 56\*49\*126cm

Gross weight: 70kg





## Electromagnetic shockwave series

Electromagnetic shckwave

EMSHOCK Electromagnetic plus EMS

DUAL WAVE two channels electromagnetic.

EMSHOCK

**K**  
KAPHAPHYSIO



### Technical Data

Model : ESWT-PRO

Electromagnetic shockwave

Intensity:	5-200MJ
Frequency:	1-16Hz
Treatment heads:	7PCS
Bullet lifespan:	2 million shocks

Package size:	42*35*35cm
Gross weight:	7.7kg



### Technical Data

Model : Dual Wave-B

Electromagnetic shockwave

Channel:	two
Intensity:	5-200MJ
Frequency:	1-16Hz
Treatment heads:	7PCS for each handle
Bullet lifespan:	2 million shocks

Package size:	45*41*109cm
Gross weight:	38kg





## PMST ANIMAL SERIES

PMST LOOP low intensity PEMF therapy for horse

PMST EQUINE high intensity PEMF therapy for horse.



### Technical Data

Model : PMST VET

Magnetic field intensity:	4 tesla
Mangetic field frequency:	1-100Hz&1000-3000Hz
Infrared intensity:	3200MW
Infrared wavelength:	620/660/940nm

Package size:	51*100*31cm
Gross weight:	66kg

### Technical Data

Model : PMST EQUINE

Magnetic field intensity:	4 tesla
Mangetic field frequency:	1-100Hz&1000-3000Hz
Applicator:	3 PCS, 2 are optional

Package size:	79*58*62cm
Gross weight:	61kg







## VET SERIES

Tecar therapy for vet treatment

Shockwave for vet treatment

Multifunctional 3 in 1 vet treatment .

SmartTecar  
VET

**K**  
KAPHAPHYSIO

### Technical Data

Model : ESWT-KA

Electromagnetic shockwave

Intensity:	5-200MJ
Frequency:	1-16Hz
Treatment heads:	5PCS
Bullet lifespan:	2 million shocks

Package size:	51*42*34cm
Gross weight:	8kg



### Technical Data

Model : EQ-TECAR PRO

Tecar Therapy

Output Power:	300W
Frequency:	300-448KHz

Pnematic Shockwave Therapy

Intensity:	1-6Bar
Frequency:	1-21Hz
Treatment Heads:	12PCS

Ultrasound Therapy

Intenisty:	0.2-3W/CM <sup>2</sup>
Frequency :	1MHz

Package size:	52*62*112cm
Gross weight:	73.5kg

